



Cofe

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			
REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.322		Docket Number: 11839/15	
Application Number 10/056,750	Filing Date January 25, 2002	Examiner George D. SPISICH	Art Unit 3616
Patent Number 6,830,267 b2	Issue Date December 14, 2004		
Invention Title ADJUSTABLE STEERING COLUMN		Inventor(s) BUDAKER et al.	

Address to:
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

Date: June 27, 2005 Reg. No. 42,194

Signature: Clifford A. Ulrich

Certificate

JUL 06 2005

of Correction

SIR:

We have compared the above patent with the application as filed and have found an error in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. §254. The exact column and line numbers where the errors occur in the patent are listed on the enclosed certificate.

The error that appears in this patent is Patent Office error and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

A duplicate of this transmittal is enclosed for charging purposes.

Dated:

June 27, 2005

By:

Richard L. Mayer
Richard L. Mayer (Reg. No. 21,490)

ND
42,194

KENYON & KENYON
One Broadway
New York, N.Y. 10004
(212) 425-7200 (telephone)
(212) 425-5288 (facsimile)
CUSTOMER NO. 26646



U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			
REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.322		Docket Number: 11839/15	
Application Number 10/056,750	Filing Date January 25, 2002	Examiner George D. SPISICH	Art Unit 3616
Patent Number 6,830,267B2	Issue Date December 14, 2004		
Invention Title ADJUSTABLE STEERING COLUMN		Inventor(s) BUDAKER et al.	

Address to:
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

Date: June 27, 2005 Reg. No. 42,194

Signature: _____

Clifford A. Ulrich
Clifford A. Ulrich

S I R:

We have compared the above patent with the application as filed and have found an error in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. §254. The exact column and line numbers where the errors occur in the patent are listed on the enclosed certificate.

The error that appears in this patent is Patent Office error and no fee is believed required. However, if necessary, please charge any fee or credit any overpayment to Deposit Account No. 11-0600.

A duplicate of this transmittal is enclosed for charging purposes.

Dated: June 27, 2005

By: _____

Richard L. Mayer
Richard L. Mayer (Reg. No. 21,490)

AS 42,194

KENYON & KENYON
One Broadway
New York, N.Y. 10004
(212) 425-7200 (telephone)
(212) 425-5288 (facsimile)
CUSTOMER NO. 26646

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT No. : 6,830,267 *B2*
DATED : December 14, 2004
INVENTOR(S): BUDAKER et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 17, change "according to claim " to --according to claim 6-- .

MAILING ADDRESS OF SENDER

Kenyon & Kenyon
One Broadway
New York, NY 10004

Patent No. 6,830,267 *B2*
No. of add'l. copies _____
@ 30 ¢ per page

FORM PTO 1050 (REV 3.82) **MODIFIED**

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT No. : 6,830,267 *B2*
DATED : December 14, 2004
INVENTOR(S): BUDAKER et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 17, change "according to claim " to --according to claim 6-- .

MAILING ADDRESS OF SENDER

Kenyon & Kenyon
One Broadway
New York, NY 10004

Patent No. 6,830,267 *B2*
No. of add'l. copies _____
@ 30 ¢ per page

FORM PTO 1050 (REV 3.82) **MODIFIED**